

RACKS

DOUBLE SECTION WALL MOUNT CABINET

DOUBLE SECTION CABINETS ARE DESIGNED FOR EASY ACCESS OF THE REAR SIDE OF A WALL MOUNT CABINET. THE REAR SECTION OF THE CABINET MOUNT TO THE WALL AND THE FRONT SECTION HINGED TO THE REAR SECTION WITH LOCKS.



DOUBLE SECTION WALL MOUNT CABINET 12U 60*60

NS-501GLDS12U6060

FEATURES

- Double section wall mounted cabinet, the angle between the two door is 120 degrees and the open angle for front door is 180 degrees.
- Reliable structure, static loading capacity: 60KG.
- Quick and easy wall mounted, inside 19" standard installation.
- The hinges for the back section are black heavy duty type.
- 120MM size fan could be installed at top of cabinet.
- Cable entry from top and bottom.
- IP Degrees:IP20.
- Flexible packing methods allows for convenient stocking and end user delivery.
- Multiple sizes available.
- Customization requests welcome.
- Allows flat package saving more space and freight.

STANDARD AND MATERIAL

Comply with

- ANSI/EIA; RS-310-D; IEC297-2; DIN41491:PART1; DIN41494:PART7; GB/T3047.2-92 standard;
- 19" international standard, metric system and ETSI standard.

SURFACE TREATMENT

- Degreasing,pickling,phosphoric, powder coating.

MATERIAL

- SPCC cold rolled steel.

THICKNESS

- Mounting profile 1.5mm; the others: 1.0 to 1.2mm.

COLOR

- Body color:RAL9004(black); RAL7035(grey). 

TECHNICAL SPECIFICATION

Model	U	Width	Depth	Height	Model	U	Width	Depth	Height
NS-501GLDS4U6045	4	600	450+100	274	NS-501GLDS12U6045	12	600	450+100	629
NS-501GLDS4U6060			500+100		NS-501GLDS12U6060			500+100	
NS-501GLDS6U6045	6	600	450+100	363	NS-501GLDS15U6045	15	600	450+100	762
NS-501GLDS6U6060			500+100		NS-501GLDS15U6060			500+100	
NS-501GLDS9U6045	9	600	450+100	496	NS-501GLDS18U6045	18	600	450+100	892
NS-501GLDS9U6060			500+100		NS-501GLDS18U6060			500+100	



FRONT DOOR



REAR DOOR



Top cover



Mounting profile



Back

RACK LAYOUT

No.	Name	QTY	SPCCT (mm)
1	Frame	1 PCS	1.0
2	Mounting profile	4 PCS	1.5
3	Fixed shelf	Quantity as request	1.0
4	Back Box	1 PCS	1.0
5	Hanger	2 PCS	1.5
6	Back panel	1 PCS	0.8
7	Side panel	2 PCS	0.8
8	Tempered glass door	1 PCS	1.2

